

PRINTED EXCLUSIVELY FOR

2010 NISSAN TITAN®

HANDLE IT WITH THE TITAN OF TRUCKS. Nissan's full-size truck is powered by a standard 5.6-liter V8 churning out 317 hp and 385 lb-ft of torque, giving you the brute strength to pull up to 9,500 lbs.¹ of just about anything. But there's more to Titan than power. A lot more. Its available Utili-track™ Bed Channel System includes tie-down cleats you can position where you need them most. Its rugged, fully boxed all-steel frame delivers greater load-bearing ability and improved ride quality. Not to mention its Active Brake Limited Slip (ABLS) and available switch-on-demand electronic locking rear differential for more confident traction. Titan is available as a King Cab, with revolutionary Wide Open rear doors that open a full 168⁵, or Crew Cab, with the longest crew cab bed in its class.² See for yourself why size matters. Ask for a test-drive today.



MULTIPLE RUGGED NISSAN TITAN MODELS TO CHOOSE FROM.





XE KING CAB AND CREW CAB

SE KING CAB AND CREW CAB





PRO-4X KING CAB AND CREW CAB

Package

VT Part of SE Value Truck Package

☐ Part of Technology Package

LE CREW CAB

FE/	ATURES	XE	SE	PRO-	4X LE		
œ	Chrome billet grille and chrome step rails (Crew Cab only)		нм		нм	Ţ	Door courtesy
EXTERIOR	Step rails				HM	(cor	Auto-dimming
	Automatic on/off headlights					INTERIOR (con	12-volt DC pov
	Class IV tow hitch receiver	PE	VT			H H	Voltage, oil pre
	Power heated extendable tow mirrors		P1	P2	MU	돌	Dual 2-way sur
	Front tow hooks (standard on SE and LE 4x4 models)	PE	P1		MU		Power adjustab
	Body-color front bumper and grille (black grille on XE)						Under-seat gro
	Chrome bumpers and grille						Overhead cent
	Dual black power outside mirrors (manual on XE; heated on PRO-4X)						Easy Clean™ vi
	Dual chrome power folding auto-dimming heated outside mirrors with						_usj cicuii ii
	puddle lights and turn signals					2	40/20/40-split
	Utili-track™ Bed Channel System with four tie-down cleats		U P1	P2			Front captain's
	Factory-applied spray-on bedliner		U P1	P2			8-way power a
	Lockable bedside storage		U P1			SEATING/APPOINTMENTS	4-way power a
	Tailgate illumination and bed-mounted 12-volt DC power outlet		U P1	P2		PP	Heated front se
	Locking dampened assist tailgate					0/5	Fold-flat front-p
	Body side moldings					Ž	60/40-split flip
	Sliding rear window (King Cab only)	PE				EA.	Memory System
	Vertical drop power back window (Crew Cab only)					0)	Cloth seat trim
	Power sliding glass moonroof			т	т		Leather-appoin
	Rear Sonar System and fog lights		VT				Leather-wrappe
							Leather-wrappe
늘	Nissan DVD Entertainment System with 8" monitor, DVD player with						Metallic-tone in
₩ W	remote control and two wireless headsets (Crew Cab only)			E	E		Wood-tone acc
Z	AM/FM/CD audio system						
ENTERTAINMENT	AM/FM/in-dash 6-CD changer audio system					SAFETY/SECURITY	Nissan Advanc
ij	350-watt Rockford Fosgate-powered audio system					L C	front air bags
ш	with AM/FM/in-dash 6-CD changer		P1	P2		E	Driver and front
	Dual Media Playback (Crew Cab only)		P1	P2			Roof-mounted
	MP3/WMA CD playback capability					田田	rollover head
	Radio Data System (RDS)					SA	Vehicle Dynami
	Auxiliary audio input ²						Tire Pressure M
	Steering-wheel-mounted audio controls		VT				Front-seat Acti
	Six speakers (King Cab only)						3-point ALR/EI
	Eight speakers, including woofer and center speaker (King Cab only)		P1	P2			Front seat belts
	Eight speakers (Crew Cab only)						LATCH System
	Ten speakers, including woofer and center speaker (Crew Cab only)		P1	P2			Zone Body con
	Satellite radio pre-wiring ³					-	Hood-buckling
	XM® Satellite Radio – includes activation and 3 months of service ³		P1	P2			Pipe-style stee
							Vehicle Securit
OR	Nissan Navigation System with DVD atlas and 7.0" LCD color monitor			Т	Т		Nissan Vehicle
NTERIOR	Bluetooth® Hands-free Phone System		VT			Star	dord
눌	Air conditioning					-	
	Dual Zone Automatic Temperature Control (ATC)						of Heavy Metal ome Edition
	Power door locks and power windows (N/A on XE KC)						of LE Max Utility
	Remote keyless entry with remote windows down (N/A on XE KC)	PE					kage
	HomeLink® Universal Transceiver		P1	P2			tional Rear Sonar Sy
	Cruise control with steering-wheel-mounted controls	PE					packing up. The Rear
	Tilt steering column						any devices connected by XM Customer
	Variable intermittent speed-sensitive windshield wipers						riving except when fr

	XE	SE	PRO-4X	LE
Door courtesy lights (footwell lights on PRO-4X and LE)				
Auto-dimming rearview mirror and compass		VT		
12-volt DC power outlets				
Voltage, oil pressure and transmission temperature gauges				
Dual 2-way sun visors with extenders and illuminated mirrors				
Power adjustable pedals		P1	P2	
Under-seat grocery bag hooks (rear cab)				
Overhead center console	PE			
Easy Clean™ vinyl flooring (King Cab only)				
40/20/40-split front bench seat				
Front captain's chairs with lockable center console		VT		
8-way power adjustable driver's seat		VT		-
4-way power adjustable passenger's seat			L	
Heated front seats			L	
Fold-flat front-passenger's seat (not available on bench seat)		VT		
60/40-split flip-up rear bench seat				
Memory System - driver's seat, outside mirrors, and pedals (two settings)			L	
Cloth seat trim				_
Leather-appointed seats			L	
Leather-wrapped steering wheel		VT		
Leather-wrapped floor-mounted transmission shifter		VT		
Metallic-tone interior accents				
Wood-tone accents				
Nissan Advanced Air Bag System with dual-stage supplemental				
front air bags with seat belt sensors and occupant-classification sensor				
Driver and front-passenger seat-mounted side-impact supplemental air bags				
Roof-mounted curtain supplemental air bags for side-impact and				
rollover head protection for front and rear outboard occupants				
Vehicle Dynamic Control (VDC) ⁴ with Traction Control System (TCS)				Ε.
Tire Pressure Monitoring System (TPMS)				
Front-seat Active Head Restraints				
3-point ALR/ELR passenger seat belt system (ELR only for driver)				
Front seat belts with pretensioners and load limiters				
LATCH System (Lower Anchors and Tethers for CHildren)				
Zone Body construction with front and rear crumple zones				
Zone Body construction with front and rear crumple zones		_		
Hood-buckling creases and energy-absorbing steering column				
Hood-buckling creases and energy-absorbing steering column Pipe-style steel side-door guard beams				
Hood-buckling creases and energy-absorbing steering column				

¹The optional Rear Sonar System is a convenience, but is not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. The Rear Sonar System may not detect every object behind you. ²Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving. ³Required XM Radio monthly subscription sold separately. Subscription governed by XM Customer Agreement at xmradio.com/service terms. For more information, see www.xmradio.com. ⁴ VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely. [®] HomeLink is a registered trademark of Johnson Controls, Inc. [®] The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

Package

E Part of Nissan DVD

System Package

Entertainment

Utility Package

Package

Part of SE Utility Package

☐ Part of PRO-4X Leather

SPECIFICATIONS

OFF-ROAD DIMENSIONS

PPO-4Y

PRO-4X	KING CA	b CR	EW CAB	
Minumum ground clearance at rear axle	10.7"	10.5	7"	
Minumum ground clearance with skid plates	11.3"	11.4	."	
Angle of approach with skid plates	28.0°	28.	0	
Angle of departure	27.7°	27.8	3°	
Break over angle	21.4°	21.8	3°	
MAXIMUM TOWING CAPABILITIES (LBS	.)			
KING CAB	XE	SE	PRO-4X	LE
4x2 (with Utility Package)	7,400 (N/A)	7,400 (9,500)	N/A	N/A
4x4 (with Utility Package)	7,400 (N/A)	7,400 (9,400)	9,300 (9,300)	N/A
CREW CAB				
4x2 Standard Bed (with Utility Package)	7,400 (N/A)	7,400 (9,400)	N/A	7,100 (9,200)

7,300 (9,300)

7,100 (9,300)

7,000 (9,100)

7.300 (N/A)

N/A

N/A

KING CAR

CDEW CAR

9,300 (9,300)

N/A

N/A

ODEW OAR

7.000 (9.100)

N/A

N/A

EXTERIOR DIMENSIONS (INCHES)

4x4 Standard Bed (with Utility Package)

4x2 Long Bed (with Utility Package)

4x4 Long Bed (with Utility Package)

	KING CAB	CREW CAB	
	STANDARD BED	STANDARD/LONG BED	
Wheelbase	139.8	139.8/159.5	
Overall length	224.6	224.6/244.2	
Overall width	79.5	79.5/79.5	
Overall height	Up to 76.1	Up to 76.9/76.6	
Cargo bed length	79.1	67.3/87.0	
Cargo bed width	63.8	63.8	
Cargo bed depth	19.9	19.9	

INTERIOR DIMENSIONS (INCHES)

	KING CAB	CREW CAB
Head room (front/rear)	41.0/38.9	41.01/40.4
Leg room (front/rear)	41.8/33.0	41.8/40.4
Hip room (front/rear)	61.3/60.3	61.3/60.5
Shoulder room (front/rear)	65.1/64.9	65.1/64.6

KINIO OAD

CAPACITIES

	KING CAB	CREW CAB
	STANDARD BED	STANDARD/LONG BED
Interior passenger volume (cu. ft.)	112.8	125.6/125.6
Fuel tank (gals.)	28.0	28.0/28.0
Maximum payload - 4x2 (lbs.)	2,153	2,015/1,829
Maximum payload - 4x4 (lbs.)	2,016	1,900/1,644

N/A Not available. '39.7" with moonroof. *BFGoodrich is a registered trademark of Goodrich Corporation. *Goodyear and Wrangler are registered trademarks of The Goodyear Tire & Rubber Company. *Dana is a registered trademark of Dana Corporation. *Rancho is a registered trademark of Tenneco Automotive Operating Company, Inc. *Rugged Trail T/A is a registered trademark of Uniroyal Goodrich Licensing Services, Inc.

ENGINE

VK56DE - Endurance 5.6-liter DOHC 32-valve V8 engine

317 hp @ 5,200 rpm

385 lb-ft of torque @ 3,400 rpm

Alternator (130 amps)

Battery (650 CCA)

Optional: Heavy-duty battery (710 CCA) - standard on PRO-4X and FFV models

DRIVETRAIN

5-speed automatic transmission with Tow/Haul Mode

Final gear ratio (2.94:1)

Optional: Lower final gear ratio (3.36:1) - standard on PRO-4X

Optional: Switch-operated 2-speed transfer case - standard on PRO-4X

2-wheel Active Brake Limited Slip (ABLS) – 4x2 models 4-wheel Active Brake Limited Slip (ABLS) – 4x4 models

Electronic locking rear differential (PRO-4X)

WHEELS AND TIRES

18" x 8.0" Steel wheels (XE)

Optional 18" x 8.0" aluminum-alloy wheels (Part of PE)

18" x 8.0" aluminum-alloy wheels (SE)

Optional: 18" x 8.0" chrome-clad alloy wheels (Part of EM)

18" x 8.0" unique 6-spoke aluminum-alloy wheels (PRO-4X)

20" x 8.0" 6-spoke aluminum-alloy wheels (LE)

Optional: 20" x 8.0" chrome-alloy wheels (Part of HM)

P265/70R18 tires (XE)

P265/70R18 Goodyear® Wrangler® tires with raised OWL (SE)

P275/70R18 BFGoodrich® Rugged Trail T/A® tires with raised OWL (PRO-4X)

P275/60R20 Goodyear® Wrangler® tires (LE)

BRAKES

Front and rear vented disc brakes

Anti-lock Braking System (ABS)

Electronic Brake force Distribution (EBD)

Brake Assist

SUSPENSION AND STEERING

Front: Independent double-wishbone with stabilizer bar (Dana® axles on 4x4 models)

Rear: Multi-leaf with solid Dana® axle

Rancho® off-road performance shocks (PRO-4X)

Engine-speed-sensitive power-assisted rack-and-pinion steering

PACKAGES

EXEPOPULAR EQUIPMENT PACKAGE

18" x 8.0" aluminum-allov wheels

Cruise control with steering-wheel-mounted controls

Overhead center console

Sliding rear window (King Cab only)

Rear privacy glass (standard on Crew Cab)

Remote keyless entry (Crew Cab only)

Class IV tow hitch receiver and 7-pin wiring harness

Trailer brake controller pre-wiring under instrument panel

™ SE VALUE TRUCK PACKAGE

Front captain's chairs with lockable center console 8-way power adjustable driver's seat

Rear air conditioning vents (Crew Cab only)

Fog lights

Bluetooth® Hands-free Phone System

Class IV tow hitch receiver and 7-pin wiring harness

Trailer brake controller pre-wiring under instrument panel Floor mats

Leather-wrapped steering wheel and floor-mounted transmission shifter

Steering-wheel-mounted audio controls Auto-dimming rearview mirror with digital compass Rear Sonar System¹

SE UTILITY PACKAGE

Utili-track™ Bed Channel System with four tie-down cleats Factory-applied spray-on bedliner

Lockable bedside storage

Bed-mounted 12-volt DC power outlet

Tailgate area illumination

SE PREMIUM UTILITY PACKAGE

Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer

8 speakers, including woofer and center speaker (King Cab only) 10 speakers, including woofer and center speaker (Crew Cab only) XM® Satellite Radio²

Power adjustable pedals

HomeLink® Universal Transceiver

Utili-track Bed Channel System with four tie-down cleats

Factory-applied spray-on bedliner

Lockable bedside storage

Bed-mounted 12-volt DC power outlet and tailgate area illumination Front tow hooks (4x2)

Lower final gear ratio (3.36:1) and heavy-duty battery (710 CCA) Dual power heated extendable tow mirrors

PRO-4X PREMIUM UTILITY PACKAGE

Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer

8 speakers, including woofer and center speaker (King Cab only) 10 speakers, including woofer and center speaker (Crew Cab only) XM® Satellite Radio²

Power adjustable pedals

HomeLink® Universal Transceiver

Extended overhead console with rear audio controls

(Crew Cab only)

Utili-track Bed Channel System with four tie-down cleats

Factory-applied spray-on bedliner

Bed-mounted 12-volt DC power outlet

Tailgate area illumination

Dual power heated extendable tow mirrors

□ PRO-4X LEATHER PACKAGE

4-way power adjustable passenger's seat

Embroidered leather-appointed seats

Heated front seats

Memory System – driver's seat, pedals and outside mirrors

In-cabin microfilter (Crew Cab only)

MU LE MAX UTILITY PACKAGE

Step rails

Front tow hooks (4x2)

Lower final gear ratio (3.36:1) and heavy-duty battery (710 CCA)

Dual power heated extendable tow mirrors

TT TECHNOLOGY PACKAGE (PRO-4X AND LE CREW CAB)

Power sliding glass moonroof

Nissan Navigation System with DVD atlas and 7.0" color LCD monitor

II NISSAN DVD ENTERTAINMENT SYSTEM PACKAGE (PRO-4X AND LE CREW CAB)

8" Flip-down monitor, DVD player with auxiliary inputs, remote control and two wireless headsets

HEAVY METAL CHROME EDITION (SE AND LE CREW CAB)

18" x 8.0" chrome-clad alloy wheels (SE)

20" x 8.0" chrome-alloy wheels (LE)

Chrome outside mirrors and door handles (SE only – standard on LE)

Chrome billet grille and chrome step rails

Package requirements and availability may vary. Please see your Nissan dealer for details.



A standard 317-horsepower 5.6-liter V8 churns out 385 lb-ft of torque to pull up to 9,500 lbs. of just about anything.3

Configure even the most > complex, cumbersome loads. The bed has more usable cargo space and loadcarrying versatility than the average half-ton, thanks to five C-channel rails running the length of the bed's floor and walls.



The 5-speed automatic transmission features gear ratios that can take full advantage of its massive low-end torque and optimize fuel economy in higher gears.



For heavy-duty hauling and > towing, the steel-reinforced ladder frame is made with full-length box-section rails enclosed on four sides.







1The optional Rear Sonar System is a convenience, but is not a substitute for proper backing procedures. Always turn and check that it is safe to do so before backing up. The Rear Sonar System may not detect every object behind you. ² Required XM Radio monthly subscription sold separately. Subscription governed by XM Customer Agreement at xmradio.com/service terms. For more information, see www.xmradio.com. ³ King Cab with Max Utility Package. See Nissan Towing Guide and Owner's Manual for proper use. ⁸ HomeLink is a registered trademark of Johnson Controls, Inc. * The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license

All illustrations, photographs and specifications in this publication are based on the latest product information available at the time of printing. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc. reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications and models, and to discontinue models or equipment. Specifications, options, and accessories may differ in Hawaii, U.S. territories, and other countries. For additional information on availability, options, or accessories, see your Nissan dealer. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Motor Co. Ltd. and/or its North American subsidiaries. Tread Lightly!* Please. Always wear your seat belt, and please don't drink and drive. © 2009 Nissan North America, Inc.

WARRANTY

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. 2003-2010 Vehicles equipped with a Continuously Variable Transmission (CVT) also have a 10-year /120,000 mile CVT limited warranty extension. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

For more warranty information or questions on 2003-2010 vehicles equipped with a Continuously Variable Transmission please visit www.NissanAssist.com

Choose a dealer to buy your Nissan Titan: